| Smoking status | Male | Female | Tota |
|--------------------------|------|-------------|------|
| Current tobacco smoker | 12.2 | 0.3 | 5.6 |
| Daily smoker | 11.8 | 0.2 | 5.4 |
| Occasional smoker | 0.4 | 0.1 | 0.2 |
| Current non-smoker | 87.8 | 99.7 | 94.4 |
| Former daily smoker | 4.9 | 0.1 | 2.3 |
| Former occasional smoker | 1.8 | 1.8 | 2.7 |
| Never smoker | 81.1 | 97.8 | 89.4 |

| | Demograp | hic Characte | eristics | <i>, ,</i> |
|------------------------|-----------------|------------------------|--------------|-------------|
| | | | Type of | cigarette |
| | Any smoked | Any | | |
| | tobacco product | cigarette ¹ | Manufactured | Hand-rolled |
| Overall | 5.6 | 4.9 | 3.3 | 1.9 |
| Male | 12.2 | 10.6 | 7.2 | 4.2 |
| Female | 0.3 | 0.3 | 0.2 | 0.`1 |
| Age Group | | | | |
| 15-24 | 1.8 | 1.6 | 1.3 | 0.4 |
| 25-44 | 8.8 | 7.7 | 5.4 | 2.8 |
| 45-64 | 11.6 | 9.9 | 6.3 | 4.5 |
| 65+ | 6.5 | 5.7 | 3.4 | 2.8 |
| Residence | | | | |
| Urban | 6.0 | 5.1 | 3.5 | 1.9 |
| Rural | 5.6 | 4.9 | 3.3 | 1.9 |
| Education level | | | | |
| Primary (1 TO 6) | 6.2 | 5.3 | 3.4 | 2.2 |
| Lower Sec | 7.2 | 6.1 | 4.4 | 2.0 |
| Upper Sec | 7.7 | 6.5 | 5.3 | 1.4 |
| Non-tertiary | 10.9 | 10.9 | 6.5 | 4.4 |
| Teacher Training | 7.8 | 7.8 | 5.2 | 2.6 |
| Tertiary Diploma | 10.9 | 10.2 | 7.5 | 3.4 |
| Higher | 6.7 | 5.0 | 5.0 | 0.0 |

Table 11-2: Current Smokers of various Smoked Tobacco Products, by selected Demographic Characteristics

¹ There were no responses to the Any Cigarette category as well as Other smoked tobacco

| Domographic characteristics | Number of c | cigarettes smo | ked on average | e per day | | |
|-----------------------------|-------------|----------------|----------------|-----------|------|-------|
| Demographic characteristics | <5 | 5-9 | 10-14 | 15-24 | >=25 | Total |
| Overall | 2.3 | 20.5 | 19.3 | 15.7 | 2.0 | |
| Gender | | | | | | |
| Male | 2.4 | 20.5 | 19.4 | 15.7 | 2.1 | 100 |
| Female | - | - | - | - | - | 100 |
| Age | | | | | | |
| 15-24 | 3.9 | 15.4 | 25.0 | 13.5 | 0.0 | 100 |
| 25-44 | 1.5 | 23.0 | 18.1 | 17.2 | 2.2 | 100 |
| 45-64 | 3.4 | 17.6 | 21.0 | 14.6 | 2.9 | 100 |
| 65+ | 2.1 | 22.9 | 12.5 | 12.5 | 0.0 | 100 |
| Residence | | | | | | |
| Urban | 1.6 | 21.3 | 19.7 | 15.6 | 0.8 | 100 |
| Rural | 2.5 | 20.3 | 19.2 | 15.7 | 2.3 | 100 |
| Education level | | | | | | |
| Primary (1 TO 6) | 1.8 | 21.8 | 20.0 | 9.1 | 3.6 | 100 |
| Lower Sec | 1.3 | 19.5 | 24.7 | 16.9 | 0.0 | 100 |
| Upper Sec | 1.4 | 20.8 | 22.2 | 18.1 | 0.0 | 100 |
| Non-tertiary | - | - | - | - | - | - |
| Teacher Training | - | - | - | - | - | - |
| Tertiary Diploma | - | - | - | - | - | - |
| Higher | - | - | - | - | - | - |
| None | - | - | - | - | - | - |

Table 11-3: Cigarettes smoked per day among daily cigarette smokers, by selected demographic characteristics

| | Respondents exposure to tobacco smoke at home | | | | | |
|-----------------------------|---|-------------|--|--|--|--|
| Demographic characteristics | Overall | Non-smokers | | | | |
| Overall | 33.1 | 28.8 | | | | |
| Gender | 55.1 | 20.0 | | | | |
| Male | 36.8 | 29.0 | | | | |
| Female | 29.3 | 28.7 | | | | |
| Age (years) | | | | | | |
| 15-24 | 30.4 | 29.4 | | | | |
| 25-44 | 34.0 | 28.3 | | | | |
| 45-64 | 36.4 | 28.9 | | | | |
| 65+ | 31.0 | 26.9 | | | | |
| Residence | | | | | | |
| Urban | 29.7 | 25.4 | | | | |
| Rural | 33.0 | 29.6 | | | | |
| Education level | | | | | | |
| Primary (1 TO 6) | 39.0 | 35.3 | | | | |
| Lower Sec | 41.1 | 37.0 | | | | |
| Upper Sec | 36.8 | 32.2 | | | | |
| Non-tertiary | 21.7 | 12.2 | | | | |
| Teacher Training | 20.8 | 15.5 | | | | |
| Tertiary Diploma | 46.9 | 42.0 | | | | |
| Higher | 38.3 | 33.9 | | | | |

| Table 11-5: Exposure to tobacco smoke at home, by smoking status and selected demographic |
|---|
| characteristics |

Table 11-6: Exposure to Tobacco smoke at Indoor Work Areas, by smoking status and selected demographic characteristics

| | Respondents exposure to tobacco smoke at work | | | | |
|-----------------------------|---|-------------|--|--|--|
| Demographic characteristics | Overall | Non-smokers | | | |
| Overall | 4.4 | 4.1 | | | |
| Gender | | | | | |
| Male | 6.6 | 6.2 | | | |
| Female | 2.6 | 2.6 | | | |
| Age (Years) | | | | | |
| 15-24 | 2.8 | 2.6 | | | |
| 25-44 | 6.7 | 6.3 | | | |
| 45-64 | 6.5 | 6.1 | | | |
| 65+ | 4.3 | 3.7 | | | |
| Residence | | | | | |
| Urban | 7.7 | 7.1 | | | |
| Rural | 3.7 | 3.5 | | | |
| Education level | | | | | |
| Primary (1 TO 6) | 4.3 | 3.5 | | | |
| Lower Sec | 4.4 | 3.9 | | | |
| Upper Sec | 8.1 | 7.1 | | | |
| Non-tertiary | 15.2 | 14.6 | | | |
| Teacher Training | 11.7 | 12.6 | | | |
| Tertiary Diploma | 12.2 | 122 | | | |
| Higher | 6.7 | 7.1 | | | |

| | selected demographic charact | teristics | | | | | |
|-------------------------------|--|---------------|------------------------|--|--|--|--|
| Domographic characteristics | Smoke cessation and health care seeking behavior | | | | | | |
| Demographic characteristics — | Made attempt to quit | Visited a HCP | Advised to quit by HCP | | | | |
| Overall | 50.5 | 18.6 | 42.4 | | | | |
| Gender | | | | | | | |
| Male | 50.5 | 21.1 | 41.9 | | | | |
| Female | - | - | - | | | | |
| Age (Years) | | | | | | | |
| 15-24 | 46.7 | 17.4 | 38.5 | | | | |
| 25-44 | 43.9 | 19.9 | 42.9 | | | | |
| 45-64 | 63.3 | 23.1 | 41.5 | | | | |
| 65+ | 60.0 | 17.2 | 41.7 | | | | |
| Residence | | | | | | | |
| Urban | 52.9 | 23.6 | 39.3 | | | | |
| Rural | 49.3 | 17.5 | 43.1 | | | | |
| Education Level | | | | | | | |
| Primary (1 TO 6) | 62.5 | 17.5 | 45.5 | | | | |
| Lower Sec | 40.0 | 20.1 | 41.6 | | | | |
| Upper Sec | 60.0 | 24.2 | 41.6 | | | | |
| Non-tertiary | 100.0 | 12.5 | - | | | | |
| Teacher Training | 66.7 | 21.3 | - | | | | |
| Tertiary Diploma | 50.0 | 30.0 | 31.3 | | | | |
| Higher | 100.0 | 17.9 | - | | | | |

Table 11-7: Current smokers who made attempt to quit and received health care provider assistance in the past 12 months, by selected demographic characteristics

| Table 11-8: Noticing Anti-Cigare | | | ographic Charact | | | ·····, | |
|----------------------------------|---------|------|------------------|-------|------|--------|------|
| | Overall | Male | Female | 15-24 | >=25 | Urban | Rura |
| Overall | | | | | | | |
| Newspapers or Magazines | 11.1 | 12.8 | 9.7 | 12.0 | 10.9 | 15.5 | 10.1 |
| TV | 11.1 | 12.6 | 9.8 | 12.0 | 10.8 | 15.3 | 10.0 |
| Current smokers | | | | | | | |
| Newspapers or Magazines | 4.5 | 4.6 | - | 9.6 | 4.2 | 9.8 | 3.3 |
| TV | 3.4 | 3.4 | 5.3 | 7.7 | 3.1 | 6.6 | 2.7 |
| Non-smokers | | | | | | | |
| Newspapers or Magazines | 11.5 | 13.9 | 9.8 | 12.0 | 11.6 | 15.8 | 10.5 |
| TV | 11.5 | 13.9 | 9.8 | 12.0 | 11.6 | 15.8 | 10.5 |

| because of the warning during the last 30 days, by selected demographic characteristics | | | | |
|---|-------------------------------------|---|--|--|
| | Notice health warnings on cigarette | Thought about quitting because of warning | | |
| | package | label | | |
| Overall | 68.9 | 59.6 | | |
| Gender | | | | |
| Male | 69.2 | 59.6 | | |
| Female | 50.0 | - | | |
| Age (years) | | | | |
| 15-24 | 59.1 | - | | |
| 25-44 | 69.9 | 59.7 | | |
| 45-64 | 71.4 | 64.0 | | |
| 65+ | 66.7 | - | | |
| Residence | | | | |
| Urban | 75.7 | 71.9 | | |
| Rural | 67.2 | 54.2 | | |
| Educational level | | | | |
| Primary (1 TO 6) | 77.6 | 70.0 | | |
| Lower Sec | 77.5 | 45.0 | | |
| Upper Sec | 78.1 | - | | |
| Non-tertiary | 25.0 | - | | |
| Teacher Training | 83.3 | - | | |
| Tertiary Diploma | 93.3 | - | | |
| Higher | 75.0 | - | | |

Table 11-9: Current smokers who noticed health warnings on cigarette packages and considered quitting because of the warning during the last 30 days, by selected demographic characteristics

| deniog | apric chara | | -9 | | | | |
|--|-------------|------|--------|-----|---------|-------|-------|
| | | Ge | ender | Age | (years) | Resid | lence |
| | | | | 15- | | | |
| | Overall | Male | Female | 24 | >=25 | Urban | Rural |
| Noticed cigarette promotions in stores | 2.4 | 4.0 | 1.1 | 1.7 | 3.1 | 3.1 | 2.2 |
| Free samples | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Sale prices | 0.8 | 1.4 | 0.3 | 0.7 | 1.1 | 1.7 | 0.6 |
| Coupons | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Free gifts or special discount offers on other | | | | | | | |
| products | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Clothing or other items with a cigarette brand | | | | | | | |
| name or logo | 1.5 | 2.1 | 1.1 | 1.2 | 2.0 | 3.2 | 1.2 |
| | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Mail promoting cigarettes | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Table 11-10: Noticing cigarette advertising during the last 30 days in various places, by selected demographic characteristics

| Table 11-11. Average Amount Spent on a Pack of Cigarettes and Cos Packs of Cigarettes as a Percentage of Gross Domestic Product (GDP) | |
|--|-------------|
| Capita | |
| | GMD |
| Average amount spent on 20 manufactured cigarettes | 33.7 |
| | Overall (%) |
| Cost of 100 packs of manufactured cigarettes as a percentage of per ca | apita |
| Gross Domestic Product (GDP) | 16.7 |