

**Table 1 Detailed Smoking Status by Gender**

Smoking Status	Overall	Male	Female
	<i>Percentage</i>	<i>(95% CI)</i>	
<b>Current tobacco smoker</b>	<b>11.3</b>	<b>17.2</b>	<b>5.3</b>
Daily smoker	9.3	14	4.9
Occasional smoker	1.8	3.2	0.4
Occasional smoker, formally daily	0.9	1.8	0.1
Occasional smoker, never daily	0.8	1.4	0.3
<b>Current non smoker</b>	<b>88.7</b>	<b>82.8</b>	<b>94.7</b>
Former smoker	4.8	5.3	4.4
Former daily smoker	4.7	5.1	4.3
Former occasional smoker	0.1	0.2	0.1
Never smoker	83.4	77.5	90.3

**Table 2: Current Smokers of Various Smoked Tobacco Products, by Selected Demographic Characteristics**

Demographic Characteristics	Any smoked tobacco product	Any cigarette <sup>1</sup>	Type of Cigarette	Manufactured	Other smoked tobacco <sup>2</sup>
			Hand rolled		
<i>Percentage (95% CI)</i>					
Overall	11.4	11.3	9.1	2.9	0.1
<i>Gender</i>					
Male	19.7	19.3	15.0	4.3	0.1
Female	5.6	6.3	4.7	1.6	0.0
<i>Age (years)</i>					
15-24	18	17.9	13.6	4.3	0.0
25-44	4.5	4.6	3.8	0.8	0.0
45-64	2.8	2.7	2.0	0.7	0.0
65+	0.4	0.3	0.3	0.0	0.0
<i>Residence</i>					
Urban	9.6	9.6	7.7	1.9	0.0
Rural	16.1	16.1	12.0	4.1	0.0
<i>Education Level<sup>3</sup></i>					
No Education	11.7	11.5	9.4	2.1	0.0
Primary	2.9	2.6	1.9	0.7	0.0
Secondary and Above	11.7	11.6	8.4	3.2	0.0

Note: Current use includes both daily and occasional (less than daily) use.

<sup>1</sup> Includes manufactured cigarettes, hand rolled cigarettes, and kreteks. only among respondents 15+ years old.

<sup>2</sup> Includes [describe products included in “other” category here].

<sup>3</sup> Education level is reported only among respondents 15+ years old.

**Table 3: Cigarette Smoked per Day Among Daily Smokers, by Selected Demographic Characteristics**

Demographic Characteristics	Number of cigarettes smoked on average per day <sup>1</sup>				
	<5	5-9	10-14	15-24	>25
	<i>Percentage (95% CI)</i>				
Overall	11.9	6.7	20.1	50	8.4
<i>Gender</i>					
Male	12.5	9.9	19.6	49.8	8.2
Female	5.6	7	27.1	31.4	28.9
<i>Age (years)</i>					
15-24	19.7	9.6	17.2	15.2	38.3
25-44	6.9	3.1	3.8	28.7	57.5
45-64	4.3	8.5	14.3	64.8	8.1
65+	3.6	5.3	20.6	60.7	9.8
<i>Residence</i>					
Urban	15.8	7.9	22.1	51.3	2.9
Rural	13.1	6	18.4	55.4	7.1
<i>Education Level<sup>2</sup></i>					
No Education	13.5	5.5	12.6	61.2	7.2
Primary	1.7	1.6	29.3	57.4	10
Secondary and Above	13.7	6.8	21.3	54.7	3.5

<sup>1</sup> Among daily cigarette smokers. Cigarettes include manufactured, hand-rolled, and

<sup>2</sup> Education level is reported only among respondents 15+ years old.

**Table 3: Cigarette Smoked per Day Among Daily Smokers, by Selected Demographic Characteristics**

Demographic Characteristics	Number of cigarettes smoked on average per day <sup>1</sup>				
	<5	5-9	10-14	15-24	>25
	<i>Percentage (95% CI)</i>				
Overall	11.9	7.7	20.1	51.9	8.4
<i>Gender</i>					
Male	12.4	9.1	17.6	52.8	8.1
Female	5.6	7	27.1	31.4	28.9
<i>Age (years)</i>					
15-24	19.7	9.6	17.2	15.2	38.3
25-44	6.9	3.1	3.8	28.7	57.5
45-64	4.3	8.5	14.3	64.8	8.1
65+	3.6	5.3	20.6	60.7	9.8
<i>Residence</i>					
Urban	15.8	7.9	23.1	49.3	3.9
Rural	11.3	6.2	18.4	55.4	8.7
<i>Education Level<sup>2</sup></i>					
No Education	12.8	4.3	12.6	61.2	9.1
Primary	3.7	2.6	25.3	58.4	10
Secondary and Above	10.6	9.5	23.7	48.7	7.5

<sup>1</sup> Among daily cigarette smokers. Cigarettes include manufactured, hand-

<sup>2</sup> Education level is reported only among respondents 15+ years old.

**Table 4: Smokeless Tobacco Use by Gender Status**

<b>Smoking Status</b>	<b>Overall</b>	<b>Male</b>	<b>Female</b>
	<i>Percentage (95% CI)</i>		
<b>Current smokeless tobacco user</b>	<b>3.1</b>	<b>5.9</b>	<b>0.6</b>
Daily user	2.2	5.1	0.4
Occasional User	0.5	0.8	0.2
Occasional user, formerly daily	0.1	0	0.2
Occasional user, never daily	0.4	0.8	0
<b>Current non-user of smokeless tobacco</b>	<b>97.0</b>	<b>94.1</b>	<b>99.4</b>
Former user	1.1	1.8	0.3
Former daily user	0.4	0.7	0.1
Former occasional user	0.7	1.11	0.2
Never smokeless user	96	92.3	99.1

**Table 5: Exposure to Tobacco Smoke at Home, by Smoking Status and Selected Demographic Characteristics**

Demographic Characteristics	Respondents exposed to tobacco smoke at home <sup>1</sup>	
	Overall	Non-smokers
	<i>Percentage (95% CI)</i>	
Overall	29.5	25.7
<i>Gender</i>		
Male	43.2	37.4
Female	17.8	14.1
<i>Age (years)</i>		
15-24	43	37
25-44	11.1	9.2
45-64	6.1	5.3
65+	0.9	0.8
<i>Residence</i>		
Urban	30.9	26.3
Rural	30.1	26
<i>Education Level<sup>2</sup></i>		
No Education	31.1	25.8
Primary	6	5.4
Secondary and Above	6.9	5.9

<sup>1</sup> Respondents who reported that smoking inside the home occurs daily, weekly, or monthly.

<sup>2</sup> Education level is reported only among respondents 15

**GOOD**

**Table 5: Exposure to Tobacco Smoke at Home, by Smoking Status and Selected Demographic Characteristics**

Demographic Characteristics	Respondents exposed to tobacco smoke at home <sup>1</sup>	
	Overall	Non-smokers
	<i>Percentage (95% CI)</i>	
Overall	29.5	25.7
<i>Gender</i>		
Male	43.2	37.4
Female	17.8	14.1
<i>Age (years)</i>		
15-24	43	37
25-44	11.1	9.2
45-64	6.1	5.3
65+	0.9	0.8
<i>Residence</i>		
Urban	30.9	26.3
Rural	28.3	24.1
<i>Education Level<sup>2</sup></i>		
No Education	31.1	25.8
Primary	6	5.4
Secondary and Above	6.9	5.9

<sup>1</sup> Respondents who reported that smoking inside the home occurs daily, weekly, or monthly.

<sup>2</sup> Education level is reported only among respondents 15

Demographic Characteristics	Respondents exposed to tobacco smoke at home <sup>1</sup>	
	Overall	Non-smokers
Overall	24.4	18.2
<i>Gender</i>		
Male	27.6	13.5
Female	21.5	21.1
<i>Age (years)</i>		20.1
15-24	22.3	
25-44	26.2	19.2
45-64	24.6	17.3
65+	22.2	15.1
<i>Residence</i>		
Urban	25.7	19.0
Rural	22.9	17.2
<i>Education Level<sup>2</sup></i>		
Doctor of Philosophy F	4.5	-
Masters degree	19.1	14.0
Bachelors degree	19.7	14.2
College, technicum (vc	26.2	18.7
Technical school	30.2	21.3
Secondary	25.6	19.3
Basic	23.2	18.9
Primary	16.0	14.2
Below primary	-	-

**Table 6: Exposure to Tobacco Smoke at Indoor Work Areas, by Smoking Status and Selected Demographic Characteristics**

Demographic Characteristics	Respondents exposed to tobacco smoke at work <sup>1</sup>	
	Overall	Non-smokers
	<i>Percentage (95% CI)</i>	
Overall	19.3	12.1
<i>Gender</i>		
Male	29.5	21.3
Female	8.7	5.8
<i>Age (years)</i>		
15-24	26.5	18.9
25-44	7.3	4.9
45-64	3.9	2.8
65+	0.5	0.4
<i>Residence</i>		
Urban	18.8	12.9
Rural	19.4	14.2
<i>Education Level<sup>2</sup></i>		
No Education	14.5	12.2
Primary	3.7	3
Secondary and Above	19.4	12

<sup>1</sup> In the past 30 days. Among those respondents who work outside of the home who usually work indoors or both indoors and outdoors.

<sup>2</sup> Education level is reported only among respondents

**GOOD**

**Table 6: Exposure to Tobacco Smoke at Indoor Work Areas, by Smoking Status and Selected Demographic Characteristics**

Demographic Characteristics	Respondents exposed to tobacco smoke at work <sup>1</sup>	
	Overall	Non-smokers
	<i>Percentage (95% CI)</i>	
Overall	19.3	12.1
<i>Gender</i>		
Male	29.5	21.3
Female	8.7	5.8
<i>Age (years)</i>		
15-24	26.5	18.9
25-44	7.3	4.9
45-64	3.9	2.8
65+	0.5	0.4
<i>Residence</i>		
Urban	18.8	12.9
Rural	19.4	11.7
<i>Education Level<sup>2</sup></i>		
No Education	14.5	12.2
Primary	3.7	3
Secondary and Above	19.4	12

<sup>1</sup> In the past 30 days. Among those respondents who work outside of the home

<sup>2</sup> Education level is reported only among respondents

Demographic Characteristics	espondents exposed to tobacco smoke at wori	
	Overall	Non-smokers
<b>Overall</b>	45.1	42.1
<i>Gender</i>		
Male	54.3	53.2
Female	33.0	33.0
<i>Age (years)</i>		
15-24	48.1	47.6
25-44	47.8	45.0
45-64	41.9	38.1
65+	45.9	42.2
<i>Residence</i>		
Urban	45.8	43.1
Rural	43.5	40.1
<i>Education Level<sup>3</sup></i>		
Doctor of Philosophy P	50.7	50.7
Masters degree	35.8	33.6
Bachelors degree	44.0	44.4
College, technicum (vo	40.8	36.2
Technical school	46.5	46.6
Secondary	50.8	47.1
Basic	59.9	56.4
Primary	6.4	8.2
Below primary	-	-

<sup>1</sup> In the past 30 days. Among those respondents who work outside

<sup>2</sup> Education level is reported only among respondents 15+ years old.

Demographic Characteristics	Smoking cessation and health care seeking behavior		
	Made quit attempt <sup>1</sup>	Visited a HCP <sup>1,2</sup>	Advised to quit by HCP <sup>2,3</sup>
	<i>Percentage (95% CI)</i>		
Overall	33.2	16.1	33.8
<i>Gender</i>			
Male	49.9	25.2	52.6
Female	16.4	8.5	16.5
<i>Age (years)</i>			
15-24	44.4	23.1	45.3
25-44	14.2	6.5	15.1
45-64	6.8	3.6	7.8
65+	1	0.4	0.8
<i>Residence</i>			
Urban	34.2	16.3	33.7
Rural	32.2	17.3	35.3
<i>Education Level</i>			
No Education	25.5	12.8	26.8
Primary	6.6	5.7	8.2
Secondary and Above	34.3	23.6	34

<sup>1</sup> Among current smokers.

<sup>2</sup> HCP = health care provider.

<sup>3</sup> Among current smokers who visited a HCP during the past 12 months.

<sup>4</sup> Education level is reported only among respondents 15+ years old.

GOOD

**Table 7: Current Smokers who Made a Quit Attempt and Received Health Care Provided Assistance in the Past 12 Months, by Selected Demographic Characteristics**

Demographic Characteristics	Smoking cessation and health care seeking behavior		
	Made quit attempt <sup>1</sup>	Visited a HCP <sup>1,2</sup>	Advised to quit by HCP <sup>2,3</sup>
	<i>Percentage (95% CI)</i>		
Overall	33.2	16.1	33.8
<i>Gender</i>			
Male	49.9	25.2	52.6
Female	16.4	8.5	16.5
<i>Age (years)</i>			
15-24	44.4	23.1	45.3
25-44	14.2	6.5	15.1
45-64	6.8	3.6	7.8
65+	1	0.4	0.8
<i>Residence</i>			
Urban	34.2	15.7	33.7
Rural	32.2	17.9	35.3
<i>Education Level</i>			
No Education	25.5	12.8	26.8
Primary	6.6	5.7	8.2
Secondary and Above	34.3	23.6	34

<sup>1</sup> Among current smokers.

<sup>2</sup> HCP = health care provider.

<sup>3</sup> Among current smokers who visited a HCP during the past 12 months.

<sup>4</sup> Education level is reported only among respondents 15+ years old.

Demographic Characteristics	Smoking cessation and health care seeking behavior		
	Made quit attempt <sup>1</sup>	Visited a HCP <sup>1,2</sup>	Advised to quit by HCP <sup>2,3</sup>
Overall	42.8	26.8	74.2
<i>Gender</i>			
Male	42.7	27.1	74.7
Female	44.4	19.2	56.4
<i>Age (years)</i>			
15-24	35.8	13.7	82.9
25-44	44.8	27.2	78.0
45-64	42.8	26.3	69.9
65+	40.1	34.2	77.2
<i>Residence</i>			
Urban	41.9	21.2	86.3
Rural	43.8	33.6	64.9
<i>Education Level</i> <sup>4</sup>			
Doctor of Philosophy	55.1	-	83.5
Masters degree	45.3	23.4	85.7
Bachelors degree	52.0	34.7	87.9
College, technicum	48.3	24.4	82.7
Technical school	43.3	19.7	65.8
Secondary	40.6	28.7	92.6
Basic	31.2	26.4	81.2
Primary	81.0	61.9	-
Below primary	-	-	-

<sup>1</sup> Among current smokers.

<sup>2</sup> HCP = health care provider.

<sup>3</sup> Among current smokers who visited a HCP during the past 12 months.

<sup>4</sup> Education level is reported only among respondents 15+ years old.

**Table 8: Noticing Anti Cigarette Smoking Information During the last 30 Days in Newspaper or Magazines and Television, by Smoking Status and Selected Demographic Characteristics**

Place	Overall	Gender		Age (years)		Residence	
		Male	Female	15-24	≥25	Urban	Rural
<i>Percentage (95% CI)</i>							
<b>Overall</b>							
In newspapers or in magazines	13.8	13.6	13.9	36.5	16.1	28.0	25.0
On Television	17.4	21.0	13.8	36.3	16.5	26.1	27
<b>Current smokers<sup>1</sup></b>							
In newspapers or in magazines	8.6	13.6	4.7	12.6	5.8	9.9	8.4
On Television	9.2	13.4	4.2	11.7	6.0	8.1	9.5
<b>Non-smokers<sup>2</sup></b>							
In newspapers or in magazines	34.2	50.0	18.5	47.9	20.6	35.4	33.1
On Television	35.3	51.1	19.5	49.7	20.9	36.4	34.3

<sup>1</sup> Includes daily and occasional (less than daily) smokers.

<sup>2</sup> Includes former and never smokers.

In newspapers or in

**GOOD**

**Table 8: Noticing Anti Cigarette Smoking Information During the last 30 Days in Newspaper or Magazines and Television, by Smoking Status and Selected Demographic Characteristics**

Place	Overall	Gender		Age (years)		Residence	
		Male	Female	15-24	≥25	Urban	Rural
<i>Percentage (95% CI)</i>							
<b>Overall</b>							
In newspapers or in magazines	18.4	19.4	13.9	36.5	16.1	28.0	25.0
On Television	17.4	21.0	13.8	36.3	16.5	26.1	27
<b>Current smokers<sup>1</sup></b>							
In newspapers or in magazines	8.6	13.6	4.7	12.6	5.8	9.9	8.4
On Television	9.2	13.4	4.2	11.7	6.0	8.1	9.5
<b>Non-smokers<sup>2</sup></b>							
In newspapers or in magazines	34.2	50.0	18.5	47.9	20.6	35.4	33.1
On Television	35.3	51.1	19.5	49.7	20.9	36.4	34.3

<sup>1</sup> Includes daily and occasional (less than daily) smokers.

<sup>2</sup> Includes former and never smokers.

In newspapers or in magazines



**Table 9: Current Smokers who Noticed Health Warnings on Cigarette Packages and Considered Quitting Because of the Warnings During the Last 30 Days, by Selected Demographic Characteristics**

Demographics Characteristics	Current smokers who <sup>1</sup>	
	Noticed health warnings on cigarette package <sup>2</sup>	Thought about quitting because of warning label <sup>2</sup>
	<i>Percentage (95% CI)</i>	
Overall	24.1	30.0
<i>Gender</i>		
Male	34.9	44
Female	13.3	16.1
<i>Age (years)</i>		
15-24	33.5	41.3
25-44	9.3	12.3
45-64	4.8	5.7
65+	0.6	0.8
<i>Residence</i>		
Urban	24	29.2
Rural	24.2	30.9
<i>Education Level</i> <sup>3</sup>		
No Education	11.7	15.8
Primary	6.8	7.4
Secondary and Above	29.7	37

<sup>1</sup> Includes daily and occasional (less than daily) smokers.

<sup>2</sup> During the last 30 days.

<sup>3</sup> Education level is reported only among respondents 15+ years old.

**Table 10: Noticing Cigarette Advertising During the Last 30 Days in Various Place, by Selected Demographic Characteristics**

Place	Overall	Gender		Age (years)		Residence	
		Male	Female	15-24	≥25	Urban	Rural
<i>Percentage (95% CI)</i>							
Noticing advertisement in stores	23.2	22.4	24	31.8	14.6	21.3	24.4
Noticed cigarette promotions	10.1	21.0	7.1	11.4	5.5	10.2	6.7
Free samples	14.9	22.8	6.9	20	9.7	17.8	11.9
Sale price	12.3	18.6	5.9	17	7.6	11.9	12.6
Coupons	4.0	6.3	1.6	5.4	2.5	4.3	3.6
Free gifts/discounts on other products	11.8	18.9	4.7	15.9	7.7	13.0	10.7
Clothing items with brand name or logo	21.9	34.4	9.4	31.1	12.9	24.7	19.4
Mail promoting cigarettes	5.0	8.3	1.7	7.0	3.1	5.1	4.9

**Table 11: Average Amount Spent on a Pack of Cigarettes and Cost of 100 Packs of Cigarettes as a Percentage of Gross Domestic Product (GDP) per Capita**

	Local Currency (LE)
Average amount spent on 20 manufactured cigarettes	2,880
	Overall (%)
Cost of 100 packs of manufactured cigarettes as a percentage of per capita Gross Domestic Product (GDP)	1.59

**Table 11-11** provides two economic indicators which are calculated among current smokers who smoke manufactured cigarettes at least once per week. Both of these estimates use a weighted average cost that is equivalent to the total expenditure on manufactured cigarettes per day across the target population divided by the total daily consumption of manufactured cigarettes.